

Explore a wide range of Trusted and Reliable
water storage solutions from Sintex.



Scan QR code
to know more



SINTEX-BAPL LIMITED

Seven Garnala, Kalol, North Gujarat - 382721. Ph.: 02764-253500

Toll Free No.: 1800-121-2764 | www.sintexonline.com

Email: sintex_support@welspun.com

WST Family Brochure/May 2024/30x/30x/Vol 2 Issue 1



Innovative Solutions for all your Water Storage Needs

As the pioneers in water storage solutions, we, at Sintex, believe in thinking innovatively, to make life simple for you. This is what you experience with our comprehensive range of products, designed with your needs in mind. Crafted from 100% virgin, food grade material, our tanks maintain the highest standards of hygiene and are built strong to last a long, long time.

Read on to know more about our range of water storage solutions.



India's First Truly Insulated Tank

The ideal tank for any weather condition




*Tested as per ISO 21702:2019, JIS Z 2801:2010, ASTM G29 & ASTM G21:2015



UNMATCHED FEATURES, UNIQUE BENEFITS

- PUF Insulation: High-quality Polyurethane Foam (PUF) Insulation gives protection against temperature variations
- Insulation thickness is 50 mm. Insulation density is 40 kg/m3 (± 2kgs)
- >99% Effective against harmful viruses & microbes
- Bolted Lid: Unique Self-locking Lid with Hexa Bolts
- Roto Moulding Manufacturing Process
- 100% Virgin Plastic: For better strength, durability & flexibility
- Food Grade Plastic with FDA Approval: Ensures safety & hygiene of stored water
- Phthalate-free Granules & Additives: No cancer-causing materials are present
- 100% UV Stabilized Tank and Lid: Sunrays cannot reach the water, no algae formation
- Two Separate Tanks: Outer tank is white which gives aesthetic look and provides UV protection and the Inner Tank is sky blue to see the water level easily
- ROHS compliant as per European Standards. No harmful substances used

 **Only a 0.5°C change in temperature of stored water after 6 hours in continuous 50°C***

Only a 0.5°C change in temperature of stored water after 6 hours in continuous -20°C* 

*Certified by approved government accredited laboratory

RANGE & SPECIFICATIONS

| Capacity (L) | Diameter (mm) | Height (mm) | Diameter of hatch (mm) |
|--------------|---------------|-------------|------------------------|
| 1000 | 1215 | 1345 | 440 |

Note: Dimension tolerance will be ±1.5%. Insulation tolerance will be ±/-15%. Density tolerance will be ±/-5%.

| | | | | |
|--|---|---|--|--|
|  ANTIVIRAL |  ANTIBACTERIAL |  ANTIFUNGAL |  ANTIALGAE |  POLYURETHANE FOAM INSULATION |
|  EFFECTIVE IN EXTREME WEATHER |  INNOVATIVE BOLTED LID |  100% FOOD GRADE PLASTIC |  100% VIRGIN PLASTIC | |



Freshness in Every Drop

Designed for those who have an eye for detail and strive for perfection



*Tested as per ISO 21702:2019, JIS Z 2801:2010, ASTM G29 & ASTM G21:2015



UNMATCHED FEATURES, UNIQUE BENEFITS

- Additional Reliable Protective Shield (ARPS): Will protect you in any season
- >99% Effective against harmful viruses & microbes
- 100% Virgin Plastic: For better strength, durability & flexibility
- Food Grade Plastic with FDA Approval: Ensures safety & hygiene of stored water
- Phthalate-free Granules & Additives: No cancer-causing materials are present
- 100% UV Stabilized Tank: Sunrays cannot reach the water, no algae formation
- Threaded Lid for added security
- Roto Moulding Manufacturing Process: Provides flexibility to take care of cyclical expansion and contraction due to temperature changes and filling/refilling of tank
- New Design: Ensures long-lasting strength & durability
- ROHS compliant as per European Standards. No harmful substances used

RANGE & SPECIFICATIONS

| Capacity (L) | Diameter (mm) | Height (mm) | Diameter of hatch (mm) |
|--------------|---------------|-------------|------------------------|
| 1000 | 1105 | 1342 | 413 |
| 2000 | 1350 | 1705 | 413 |

Note: Dimension tolerance will be ±1.5%.



ANTIVIRAL



ANTIBACTERIAL



ANTIFUNGAL



ANTI ALGAE



ADDITIONAL PROTECTIVE SHIELD



THREADED LID WITH UV PROTECTION



100% FOOD GRADE PLASTIC



100% VIRGIN PLASTIC



The **Healthiest** Tank of India

Antimicrobial Innovation
with Active Silver Technology



*Tested as per ISO 21702:2019, JIS Z 2801:2010, ASTM G29 & ASTM G21:2015

UNMATCHED FEATURES, UNIQUE BENEFITS

- >99% Effective against harmful viruses & microbes
- 100% Virgin Plastic: For better strength, durability & flexibility
- Food Grade Plastic with FDA Approval: Ensures safety & hygiene of stored water
- Phthalate-free Granules & Additives: No cancer-causing materials are present
- 100% UV Stabilized Tank and Multi-layered Lid: Sunrays cannot reach the water, no algae formation
- Roto-moulded, 3 layer lid for additional durability
- Multiple Layers: Outer (White/Coloured) for aesthetic looks, Middle (Black) for UV Protection and Inner (Blue) to see water level
- Roto Moulding Manufacturing Process: Provides flexibility to take care of cyclical expansion and contraction due to temperature changes and filling/refilling of tank
- Aesthetic Looks
- Multi-ribbed Design: Ensures long-lasting strength & durability
- Colour Options: Available in White, Blue, Green & Yellow
- ROHS compliant as per European Standards. No harmful substances used

RANGE & SPECIFICATIONS

| Capacity (L) | Diameter (mm) | Height (mm) | Diameter of hatch (mm) |
|--------------|---------------|-------------|------------------------|
| 500 | 900 | 970 | 407 |
| 750 | 1030 | 1100 | 407 |
| 1000 | 1105 | 1240 | 407 |
| 1500 | 1350 | 1295 | 410 |
| 2000 | 1350 | 1615 | 410 |
| 3000 | 1500 | 2020 | 515 |
| 5000 | 2000 | 1910 | 520 |
| 10000 | 2125 | 3160 | 520 |

Note: Dimension tolerance will be ±1.5% below 5000 L and ±3.0% for 5000 L & above, due to process limitation.



ANTIVIRAL



ANTIBACTERIAL



ANTIFUNGAL



ANTIALGAE



100% FOOD
GRADE PLASTIC



100%
VIRGIN
PLASTIC



ULTRA
DURABLE



India's 1st Side Hatch Tank for **Better Safety & Visibility**

Easy to clean and check the water level without climbing the tank



*Tested as per JIS Z 2801:2010 & ASTM G29

UNMATCHED FEATURES, UNIQUE BENEFITS

- >99% Effective in protecting from harmful bacteria
- 100% Virgin Plastic: For better strength, durability & flexibility
- Food Grade Plastic with FDA Approval: Ensures safety & hygiene of stored water
- Phthalate-free Granules & Additives: No cancer-causing materials are present
- 100% UV Stabilized Tank and Multi-layered Lid: Sunrays cannot reach the water, no algae formation
- Threaded Lid: Heavy winds, birds and animals cannot open the lid, thus maintaining safety & hygiene
- Multiple Layers: Outer (White) for aesthetic looks, Middle (Black) for UV Protection and Inner (Grey) to see water level
- Roto Moulding Manufacturing Process: Provides flexibility to take care of cyclical expansion and contraction due to temperature changes and filling/refilling of tank
- Modern, World-class Looks
- Multi-ribbed Design: Ensures long-lasting strength & durability
- ROHS compliant as per European Standards. No harmful substances used

RANGE & SPECIFICATIONS

| Capacity (L) | Diameter (mm) | Height (mm) | Diameter of hatch (mm) |
|--------------|---------------|-------------|------------------------|
| 500 | 920 | 1012 | 405 |
| 750 | 1030 | 1145 | 405 |
| 1000 | 1100 | 1328 | 405 |
| 2000 | 1350 | 1694 | 405 |
| 5000 | 2000 | 1980 | 405 |

Note: Dimension tolerance will be ±1.5% below 5000 L and ±3.0% for 5000 L, due to process limitation.



ANTIBACTERIAL



ANTI ALGAE



EASY TO CLEAN



INTERNATIONAL DESIGN



100% FOOD GRADE PLASTIC



VIRGIN PLASTIC



ULTRA DURABLE



THREADED LID WITH UV PROTECTION



The Longest Selling Tank from Sintex

Classic Heritage product now available in White also



UNMATCHED FEATURES, UNIQUE BENEFITS

- 100% Virgin Plastic: For better strength, durability & flexibility
- Food Grade Plastic with FDA Approval: Ensures safety & hygiene of stored water
- Phthalate-free Granules & Additives: No cancer-causing materials are present
- 100% UV Stabilized Tank and Lid: Sunrays cannot reach the water, no algae formation
- Two Layers: Outer (White) and Inner (Grey) to see water level easily and for UV protection. Black outer with Sky Blue inner
- Roto Moulding Manufacturing Process: Provides flexibility to take care of cyclical expansion and contraction due to temperature changes and filling/refilling of tank
- Aesthetic Looks
- Multi-ribbed Design: Ensures long-lasting strength & durability

RANGE & SPECIFICATIONS

| Capacity (L) | Diameter (mm) | Height (mm) | Diameter of hatch (mm) |
|--------------|---------------|-------------|------------------------|
| 500 | 1030 | 755 | 400 |
| 500 | 900 | 970 | 407 |
| 700 | 1030 | 1080 | 407 |
| 750 | 1030 | 1100 | 407 |
| 1000 | 1105 | 1240 | 407 |
| 1500 | 1350 | 1295 | 410 |
| 2000 | 1350 | 1615 | 410 |
| 2500 | 1500 | 1720 | 515 |
| 3000 | 1500 | 2020 | 515 |
| 5000 | 2000 | 1910 | 520 |
| 5000* | 2000 | 2000 | 940 |
| 7500 | 2000 | 2890 | 520 |
| 10000* | 2550 | 2530 | 520 |
| 10000 | 2125 | 3160 | 520 |
| 15000* | 2550 | 3580 | 520 |
| 15000* | 3000 | 2830 | 510 |
| 20000* | 2580 | 4620 | 520 |
| 20000* | 3000 | 3390 | 521 |
| 25000* | 3050 | 4090 | 520 |

Note: Dimension tolerance will be $\pm 1.5\%$ below 5000 L and $\pm 3.0\%$ for 5000 L & above, due to process limitation. *Available from selected factories.



Har **Ghar** Ke Liye
True value for your investment



UNMATCHED FEATURES, UNIQUE BENEFITS

- Superior design: Strength, reliability and elegance
- Multiple Layers: Outer (White) for aesthetic looks, Middle (Black) for UV protection and Inner (Grey) to see water level easily
- 100% Virgin Plastic: For durability & flexibility
- Food Grade Plastic with FDA Approval: Ensures safety & hygiene of stored water
- Phthalate-free Granules & Additives: No cancer-causing materials are present
- 100% UV Stabilized Tank and Lid: Sunrays cannot reach the water, no algae formation
- Threaded Lid for safety & hygiene

RANGE & SPECIFICATIONS

| Capacity (L) | Diameter (mm) | Height (mm) | Diameter of hatch (mm) |
|--------------|---------------|-------------|------------------------|
| 500 | 900 | 1005 | 395 |
| 1000 | 1105 | 1283 | 395 |
| 2000 | 1350 | 1650 | 395 |
| 5000 | 2000 | 1900 | 395 |

Note: Dimension tolerance will be $\pm 1.5\%$.



Style and Strength

Threaded Lid for safety,
an additional Black Lid for UV protection



*Tested as per JIS Z 2801:2010 & ASTM G29

UNMATCHED FEATURES, UNIQUE BENEFITS

- >99% Effective against harmful bacteria
- 100% Virgin Plastic: For better strength, durability & flexibility
- Food Grade Plastic with FDA Approval: Ensures safety & hygiene of stored water
- Phthalate-free Granules & Additives: No cancer-causing materials are present
- 100% UV Stabilized Tank and Lid: Sunrays cannot reach the water, no algae formation
- Threaded Lid: Heavy winds, birds and animals cannot open the lid, thus maintaining safety & hygiene
- Multiple Layers: Outer (White/Coloured) for aesthetic looks, Middle (Black) for UV protection and Inner (White) to see water level easily
- Stylish Looks
- Multi-ribbed Design: Ensures long-lasting strength & durability
- Colour Options: Available in White, Blue, Green and Yellow
- ROHS compliant as per European Standards. No harmful substances used

RANGE & SPECIFICATIONS

| Capacity (L) | Diameter (mm) | Height (mm) | Diameter of hatch (mm) |
|--------------|---------------|-------------|------------------------|
| 500 | 920 | 918 | 430 |
| 750* | 1030 | 1105 | 430 |
| 1000 | 1100 | 1260 | 430 |
| 1500 | 1350 | 1265 | 430 |
| 2000 | 1350 | 1640 | 430 |

Note: Dimension tolerance will be $\pm 1.5\%$, due to process limitation.
*Available from selected factories.

| | | | |
|---------------------|---------------------------------|------------------------------|-------------------------|
| ANTIBACTERIAL | ANTIALGAE | TWO LIDS | 100% FOOD GRADE PLASTIC |
| 100% VIRGIN PLASTIC | THREADED LID WITH UV PROTECTION | STRONG & BREAKAGE RESISTANCE | |



Assured Performance with Great Value

Computerised design for enhanced strength



UNMATCHED FEATURES, UNIQUE BENEFITS

- 100% Virgin Plastic: For better strength, durability & flexibility
- Food Grade Plastic with FDA Approval: Ensures safety & hygiene of stored water
- Phthalate-free Granules & Additives: No cancer-causing materials are present
- 100% UV Stabilized Tank and Lid: Sunrays cannot reach the water, no algae formation
- Two Layers: Outer (White) and Inner (Grey) to see water level easily and for UV protection. Black outer with Sky Blue inner
- Roto Moulding Manufacturing Process: Provides flexibility to take care of cyclical expansion and contraction due to temperature changes and filling/refilling of tank
- Multi-ribbed Design: Ensures long-lasting strength & durability
- Colour Options: Available in White, Black, Yellow, Green and Blue

RANGE & SPECIFICATIONS

| Capacity (L) | Diameter (mm) | Height (mm) | Diameter of hatch (mm) |
|--------------|---------------|-------------|------------------------|
| 500 | 900 | 885 | 400 |
| 700 | 900 | 1195 | 400 |
| 1000 | 1110 | 1170 | 406 |
| 1500 | 1365 | 1155 | 400 |
| 2000 | 1365 | 1515 | 407 |
| 2500 | 1365 | 1875 | 400 |
| 3000 | 1500 | 1835 | 400 |
| 5000 | 1800 | 2175 | 520 |
| 10000 | 2130 | 3155 | 510 |

Note: Dimension will be $\pm 1.5\%$ below 5000 L and $\pm 3.0\%$ for 5000 L & above, due to process limitation.

MULTI-RIBBED

100% UV STABILITY

100% FOOD GRADE PLASTIC

100% VIRGIN PLASTIC

ULTRA DURABLE



Strong and Surprisingly Affordable

Our most economical white tank
with the same excellent hygiene features



UNMATCHED FEATURES, UNIQUE BENEFITS

- 100% Virgin Plastic: For better strength, durability & flexibility
- Food Grade Plastic with FDA Approval: Ensures safety & hygiene of stored water
- Phthalate-free Granules & Additives: No cancer-causing materials are present
- 100% UV Stabilized Tank and Lid: Sunrays cannot reach the water, no algae formation
- Threaded Lid: Heavy winds, birds and animals cannot open the lid, thus maintaining safety & hygiene
- Two Layers: Outer (White) for aesthetic looks and Inner (Grey) to see water level easily and provide UV protection
- Aesthetic Looks
- Multi-ribbed Design: Ensures long-lasting strength & durability

RANGE & SPECIFICATIONS

| Capacity (L) | Diameter (mm) | Height (mm) | Diameter of hatch (mm) |
|--------------|---------------|-------------|------------------------|
| 200 | 700 | 600 | 275 |
| 300 | 700 | 870 | 275 |
| 500 | 920 | 845 | 400 |
| 750 | 920 | 1245 | 400 |
| 1000 | 1100 | 1172 | 400 |

Note: Dimension tolerance will be ±1.5%, due to process limitation.



The Great Space Saver

Compact design to fit in any available space



UNMATCHED FEATURES, UNIQUE BENEFITS

- 100% Virgin Plastic: For better strength, durability & flexibility
- Food Grade Plastic with FDA Approval: Ensures safety & hygiene of stored water
- Multi-purpose Usage: Bathroom, Kitchen, etc.
- Colour Options: Available in Black and White

RANGE & SPECIFICATIONS

| Capacity (L) | Diameter (mm) | Width (mm) | Height (mm) | Diameter of hatch (mm) |
|--------------|---------------|------------|-------------|------------------------|
| 100 | 590 | 590 | 385 | 305 |
| 150 | 720 | 720 | 385 | 305 |
| 200 | 960 | 720 | 360 | 305 |
| 225 | 1030 | 720 | 385 | 305 |
| 270 | 1090 | 720 | 430 | 305 |
| 275 | 1250 | 890 | 325 | 305 |
| 300 | 1220 | 830 | 350 | 305 |
| 375 | 1255 | 955 | 385 | 305 |
| 400 | 1550 | 1000 | 325 | 305 |
| 425* | 1255 | 955 | 435 | 305 |
| 460* ** | 1524 | 927 | 407 | 305 |
| 475* | 1585 | 1155 | 325 | 305 |
| 500 | 1400 | 1000 | 435 | 305 |
| 500* ** | 1525 | 800 | 510 | 305 |
| 625* | 1440 | 970 | 535 | 305 |
| 825* | 1960 | 990 | 545 | 305 |
| 1000* | 1990 | 990 | 635 | 305 |

Note: Dimension tolerance will be ±1.5%, due to process limitation.
*Double-lid. **Available from selected factories.



Trust and Reliability

Conforms to Standards specified in
IS 12701-1996 (Reaffirmed 2006)



UNMATCHED FEATURES, UNIQUE BENEFITS

- Virgin, Food Grade Plastic: For longer life, durability, safety and hygiene. Tank does not impart any taste, odour or colour to the water
- UV Stabilized Tank and Lid: No algae formation since sunrays cannot reach the stored water
- Rotational moulded Polyethylene water tanks: Provides flexibility to take care of cyclical expansion and contraction due to temperature changes and filling/refilling of tank
- Two Layers: Black outer layer for superior UV protection and White inner layer to see water level and tank condition
- Tested as per requirements specified in the Standards
- Capacity is as per specifications in the Standards

RANGE & SPECIFICATIONS

| Capacity (L) | Diameter (mm) | Height (mm) | Diameter of hatch (mm) |
|--------------|---------------|-------------|------------------------|
| 300 | 750 | 875 | 280 |
| 500 | 1030 | 755 | 400 |
| 500 | 900 | 970 | 407 |
| 700 | 1030 | 1080 | 407 |
| 1000 | 1105 | 1240 | 407 |
| 1500 | 1350 | 1295 | 410 |
| 2000 | 1400 | 1580 | 520 |
| 2500 | 1500 | 1720 | 515 |
| 3000 | 1500 | 2020 | 515 |
| 5000 | 2000 | 1910 | 520 |
| 7500 | 2000 | 2890 | 520 |
| 10000* | 2550 | 2530 | 520 |
| 10000 | 2125 | 3160 | 520 |
| 15000* | 2550 | 3580 | 520 |
| 20000* | 2580 | 4620 | 520 |

Note: Dimension tolerance will be $\pm 1.5\%$ below 5000 L and $\pm 3.0\%$ for 5000 L & above, due to process limitation. *Available from selected factories.



ANTI ALGAE



100% FOOD
GRADE PLASTIC



VIRGIN
PLASTIC



ULTRA
DURABLE



ISI
STANDARD



Sturdy Design, Easy Installation, Enduring **Performance**

Specially designed for underground applications



UNMATCHED FEATURES, UNIQUE BENEFITS

- Specially developed for underground water storage applications
- 100% Virgin Plastic: For better strength, durability & flexibility
- One-piece Moulded: No joints, seams or welds
- Non-porous and does not allow water to get contaminated
- Rustproof and Leakproof
- Hygienic and suitable for potable water
- Impermeable to roots of trees
- Can be installed without an additional retaining wall
- Maintenance-free
- Strong SMC lid
- Available in double wall (Black outer layer and White inner wall) and single wall (Black)

RANGE & SPECIFICATIONS

| Capacity (L) | Diameter (mm) | Height (mm) | Hatch extension (mm) | Diameter of hatch (mm) | Hatch |
|--------------|---------------|-------------|----------------------|------------------------|-------|
| 1000 | 1200 | 1385 | 200 | 400 | 1 |
| 2000* | 1400 | 1850 | 200 | 400 | 1 |
| 3000* | 1650 | 1950 | 200 | 400 | 1 |
| 4000* | 1800 | 2150 | 200 | 400 | 1 |
| 5000* | 2000 | 2250 | 200 | 400 | 1 |
| 6000* | 2150 | 2300 | 200 | 400 | 1 |

Note: Dimension tolerance will be $\pm 1.5\%$ below 5000 L and $\pm 3.0\%$ for 5000 L, due to process limitation. *Available from selected factories.



SMC PANEL WATER TANK

DESIGNED TO BE MODULAR AND COST-EFFECTIVE

A new-age solution to Large Capacity Water Storage Requirement.

UNMATCHED FEATURES, UNIQUE BENEFITS

- Can store up to 12 lakh liters of water
- Food Grade Plastic with FDA Approval: Ensures safety & hygiene of stored water
- Easy to install by plumbers and general technicians using conventional tools, can be installed within 4 days
- Easy to assemble at the site and increase or decrease the size as required
- Easy to dismantle and shift in case of change in site



SINTEX UNDERGROUND WATER TANKS (FRP)

DURABLE, HYGIENIC AND SPACE SAVING IN ONE

Underground tanks made from Fiber Reinforced Plastic (FRP) that can endure earth's pressure and make the tanks strong and more durable.

UNMATCHED FEATURES, UNIQUE BENEFITS

- Virgin Plastic: For better strength, durability & flexibility
- Food Grade Plastic with FDA Approval: Ensures safety & hygiene of stored water
- Rustproof and Leakproof
- Lightweight, easy to transport and install
- Non-porous and does not allow water to get contaminated
- Impermeable to roots of trees
- Available for 10000 to 50000 ltrs storage capacity



RANGE OF SINTEX OVERHEAD WATER STORAGE TANKS


| | | | | | | | | | | | |
|---|---------------------------|---|---|---|---|-------------------------------------|---|-----------------------------------|---|---------|---------------|
|  | SINTEX NEO | X | X | ✓ | X | BOTH TANK AND LID ARE UV STABILIZED | ✓ | WHITE | 200, 300, 500, 750, 1000 | 1 YEAR | BLOW MOULDING |
|  | SINTEX RENO | X | X | ✓ | X | BOTH TANK AND LID ARE UV STABILIZED | X | BLACK, WHITE, BLUE, YELLOW, GREEN | 500, 700, 1000, 1500, 2000, 2500, 3000, 5000, 10000 | 5 YEAR | ROTO MOULDING |
|  | SINTEX TITUS | X | ✓ | ✓ | X | BOTH TANK AND LID ARE UV STABILIZED | ✓ | WHITE, BLUE, YELLOW, GREEN | 500, 750, 1000, 1500, 2000 | 10 YEAR | BLOW MOULDING |
|  | SINTEX HERO | X | X | ✓ | X | BOTH TANK AND LID ARE UV STABILIZED | ✓ | WHITE | 500, 1000, 2000, 5000 | 10 YEAR | ROTO MOULDING |
|  | SINTEX WHITE/BLACK | X | X | ✓ | X | BOTH TANK AND LID ARE UV STABILIZED | X | BLACK & WHITE | 500, 700, 750, 1000, 1500, 2000, 2500, 3000, 5000, 7500, 10000, 15000, 20000, 25000 | 10 YEAR | ROTO MOULDING |
|  | SINTEX ACE ANTIBACTERIAL | X | ✓ | ✓ | X | BOTH TANK AND LID ARE UV STABILIZED | ✓ | WHITE | 500, 750, 1000, 2000, 5000 | 10 YEAR | ROTO MOULDING |
|  | SINTEX PURE ANTIMICROBIAL | ✓ | ✓ | ✓ | ✓ | BOTH TANK AND LID ARE UV STABILIZED | X | WHITE, BLUE, YELLOW, GREEN | 500, 750, 1000, 1500, 2000, 3000, 5000, 10000 | 15 YEAR | ROTO MOULDING |
|  | SINTEX TATVA | ✓ | ✓ | ✓ | ✓ | BOTH TANK AND LID ARE UV STABILIZED | ✓ | WHITE | 1000, 2000 | 15 YEAR | ROTO MOULDING |
|  | SINTEX TRUPUF | ✓ | ✓ | ✓ | ✓ | BOTH TANK AND LID ARE UV STABILIZED | ✓ | WHITE | 1000 | 5 YEAR | ROTO MOULDING |
| PRODUCTS > | | | | | | | | | | | |
| ANTIVIRAL | | | | | | | | | | | |
| ANTIBACTERIAL | | | | | | | | | | | |
| ANTI ALGAE | | | | | | | | | | | |
| ANTIFUNGAL | | | | | | | | | | | |
| UV PROTECTION | | | | | | | | | | | |
| THREADED LID | | | | | | | | | | | |
| COLOURS AVAILABLE | | | | | | | | | | | |
| CAPACITIES OF TANKS AVAILABLE (LITRES) | | | | | | | | | | | |
| WARRANTY | | | | | | | | | | | |
| MANUFACTURING PROCESS | | | | | | | | | | | |

WATER TANKS – MYTHS AND FACTS



MYTH: Local tanks offer exact water storage capacity as promised.

FACT: Local competitors' tanks provide 10% to 15% less water storage than what they claim. Whereas, Sintex tanks offer exact water storage capacity as promised.




MYTH: Our competitors sell tanks that have 4, 5, 6 or even 7 layers. This means they are much stronger.

FACT: Remember, more layers in a tank don't make it stronger! Adding any more layers beyond three layers does not bring any value or benefit to the consumers. Instead, it makes the tank unnecessarily rigid and heavy.

MYTH: Only virgin (non-recycled) plastic is used in making all water tanks.

FACT: Many of our competitors' tanks are manufactured using recycled plastic, which may contain toxic chemicals, lead, phthalate (a carcinogenic substance), etc. Sintex tanks are made with 100% virgin plastic and hence are 100% safe.



MYTH: All non-black tanks of the competitors are UV stabilized like Sintex tanks.

FACT: Hardly any of our competitors' non-black tanks provide complete UV protection. This leads to algae formation, making the water stored in such tanks unhealthy. On the other hand, every Sintex tank, black or non-black, is UV protected.



MYTH: Competitors' tanks are heavier, so that means they are sturdier too.

FACT: To provide strength and bonding, many local brands add chemical carbonate, fillers, etc. in tanks, making the water stored in them hazardous. Unlike them, Sintex tanks are thoughtfully developed. They are lighter, yet sturdier and safer.



MYTH: The lid of a tank does not need UV protection.

FACT: Being the topmost part of a tank, the lid needs UV protection more than any other surface of a tank. Non-black tanks of competition brands have no UV protection on their lids. Sintex is the only brand in the country that offers complete UV protection on the lids of non-black tanks.


MYTH: The harder the tank, the more durable it is.

FACT: Overhead tanks have to expand and contract, depending on the quantity of water stored and the surrounding temperature. If a tank is hard and rigid, it is prone to crack formation and breaking. Sintex uses LLDPE material in the manufacturing process, making the tanks more flexible and long-lasting.



MYTH: Every black tank is a Sintex tank.

FACT: Remember the old saying 'all that glitters is not gold'? With Sintex, it is no different. Customers go to a shop to buy Sintex but end up buying some other black tank from any of our competitors. All Sintex tanks have our logo. Our customers should look for it.



MYTH: Our competitors make tanks using only food grade plastic.

FACT: Many of our competitors manufacture tanks using recycled plastic, which may contain additives, fillers, toxic chemicals and carcinogenic substances like phthalate. Sintex tanks are made with food grade plastic and hence ensure hygienic water storage.



MYTH: Local tanks offer a 7, 8, 9 and 10-year warranty and make them better.

FACT: Most of our competitors could be fly-by-night operators who may shut shop anytime. Thus, the warranty given by them anyway stands invalid. Sintex offers a genuine one-year warranty against manufacturing defects.